

**Rust Converter**

ACCORDING TO EC-REGULATIONS 1907/2006 (REACH), 1272/2008 (CLP) &amp; 2020/878

**SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING****1.1 Product identifier**

Product Name Rust Converter  
Product code 0520, 1737, 1741, 1740, 1824, 0830  
Unique Formula Identifier (UFI) VNE1-20M9-K00W-D9NC

**1.2 Relevant identified uses of the substance or mixture and uses advised against**

Identified Use(s) PC14: Metal surface treatment products, including galvanic and electroplating products.  
Uses Advised Against Not known.

**1.3 Details of the supplier of the safety data sheet****Manufacturer**

Company Identification Granville Oil & Chemicals Ltd  
Address of Manufacturer 29 Goldthorpe Ind. Est.,  
Goldthorpe,  
Rotherham,  
South Yorkshire,  
Postal code S63 9BL  
Telephone: +44 (0)1709 890099  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours 08:00 - 17:00

**Responsible Person**

Company Identification Veedol Deutschland GmbH  
Address of Responsible Person Hans-Böckler-Straße 10  
Langenfeld,  
Germany  
Postal code 40764  
Telephone: +44 (0)1709 890099  
Fax Not known.  
E-mail lab@granvilleoil.com  
Office hours 08:00 - 17:00

**1.4 Emergency telephone number**

Emergency Phone No. +44 (0)1709 890099  
Contact Granville Lab  
National response centre  
Address NHS Direct  
Emergency Phone No. +44 111

**SECTION 2: HAZARDS IDENTIFICATION****2.1 Classification of the substance or mixture**

Regulation (EC) No. 1272/2008 (CLP) Flam. Liq. 3 :Flammable liquid and vapour.  
Skin Corr. 1 :Causes severe skin burns and eye damage.

**Rust Converter**

Skin Irrit. 2 :Causes skin irritation.  
 Eye Dam. 1 :Causes serious eye damage.  
 Eye Irrit. 2 :Causes serious eye irritation.

**2.2 Label elements**

According to Regulation (EC) No. 1272/2008 (CLP)

Product Name Rust Converter  
 Contains Isopropanol

Hazard Pictogram(s)



GHS02



GHS05

Signal Word(s) Danger

Hazard Statement(s)  
 H226: Flammable liquid and vapour.  
 H314: Causes severe skin burns and eye damage.

Precautionary Statement(s)  
 P101: If medical advice is needed, have product container or label at hand.  
 P102: Keep out of reach of children.  
 P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
 P280: Wear protective gloves/protective clothing/eye protection/face protection.  
 P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.  
 P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Unique Formula Identifier (UFI) VNE1-20M9-K00W-D9NC

**2.3 Other hazards**

None known.

**2.4 Additional Information**

For full text of H/P Statements see section 16.

**SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS****3.1 Substances**

Not applicable.

**3.2 Mixtures**

HAZARDOUS INGREDIENT(S)	CAS No.	EC No. / REACH Registration No.	%W/W	Hazard Statement(s)	Hazard Pictogram(s)

**Rust Converter**

Haloflex 202			50-90	Skin Irrit. 2 H315 Eye Irrit. 2 H319	GHS07
propan-2-ol isopropyl alcohol isopropanol	67-63-0	200-661-7	<5	Flam. Liq. 2 H225 Eye Irrit. 2 H319 STOT SE 3 H336	GHS02 GHS07
2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve	111-76-2	203-905-0	<5	Acute Tox. 4 H302 Acute Tox. 4 H312 Skin Irrit. 2 H315 Eye Irrit. 2 H319 Acute Tox. 4 H332	GHS07
1-methoxy-2-propanol monopropylene glycol methyl ether	107-98-2	203-539-1	<1.5	Flam. Liq. 3 H226 STOT SE 3 H336	GHS02 GHS07
2-(2-butoxyethoxy)ethanol diethylene glycol monobutyl ether	112-34-5	203-961-6	<2	Eye Irrit. 2 H319	GHS07
8-Hydroxyquinoleine Sulfate	207386-91-2		<2	Acute Tox. 4 H302	GHS07
2,6-di-tert-butyl-p-cresol	128-37-0	204-881-4	<1	Aquatic Acute 1 H400 Aquatic Chronic 1 H410	GHS09

HAZARDOUS INGREDIENT(S)	CAS No.	Specific Concentration Limit	M- factor	ATE
2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve	111-76-2			Acute Tox. 4 (H302) : 1200.000 (15th ATP) Acute Tox. 4 (H312) : 1100.000 Acute Tox. 4 (H332) : 11.000
8-Hydroxyquinoleine Sulfate	207386-91-2			Acute Tox. 4 (H302) : 500.000

Contains no non-classified vPvB substances.

Contains no non-classified substances with a Union workplace exposure limit.

For full text of H/P Statements see section 16.

#### SECTION 4: FIRST AID MEASURES

##### 4.1 Description of first aid measures

Inhalation

Immediately call a POISON CENTRE/doctor.

**Rust Converter**

Skin Contact	Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. Specific treatment (see Medical Advice on this label). Take off immediately all contaminated clothing. Rinse skin with water. Immediately call a POISON CENTRE/doctor.
Eye Contact	Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTRE/doctor. If eye irritation persists: Get medical advice/attention.
Ingestion	Rinse mouth. Do NOT induce vomiting. Immediately call a POISON CENTRE/doctor.

**4.2 Most important symptoms and effects, both acute and delayed**

Causes burns.

**4.3 Indication of any immediate medical attention and special treatment needed**

Specific treatment (see Medical Advice on this label). Immediately call a POISON CENTRE/doctor. Treat symptomatically.

**SECTION 5: FIREFIGHTING MEASURES****5.1 Extinguishing media**

Suitable Extinguishing media	Use an extinguishing agent suitable for the surrounding fire.
Unsuitable extinguishing media	None known.

**5.2 Special hazards arising from the substance or mixture**

Flammable liquid and vapour. Combustion or thermal decomposition will evolve toxic and irritant vapours.

**5.3 Advice for firefighters**

Fire fighters should wear complete protective clothing including self-contained breathing apparatus. If it is safe to do so, containers should be removed from fire area because they are likely to rupture under fire conditions.

**SECTION 6: ACCIDENTAL RELEASE MEASURES****6.1 Personal precautions, protective equipment and emergency procedures**

Provide adequate ventilation. Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Wear suitable protective clothing, gloves and eye/face protection.

**6.2 Environmental precautions**

This material and its container must be disposed of in a safe way.

**6.3 Methods and material for containment and cleaning up**

Absorb spillages onto sand, earth or any suitable adsorbent material. Transfer to a container for disposal. Containers must not be punctured or destroyed by burning, even when empty.

**6.4 Reference to other sections**

See Also Section 8, 13.

**SECTION 7: HANDLING AND STORAGE****7.1 Precautions for safe handling**

**Rust Converter**

Wash hands and exposed skin thoroughly after handling. Wear protective gloves/protective clothing/eye protection/face protection. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting/equipment. Use non-sparking tools. Take action to prevent static discharges.

**7.2 Conditions for safe storage, including any incompatibilities**

Store locked up. Store in a well-ventilated place. Keep cool.

Storage temperature

Ambient.

Storage life

Stable under normal conditions.

Incompatible materials

None known.

**7.3 Specific end use(s)**

PC14: Metal surface treatment products, including galvanic and electroplating products..

**SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION****8.1 Control parameters**

## 8.1.1 Occupational Exposure Limits

Occupational Exposure Limits						
SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
1-Methoxypropan-2-ol	107-98-2	100	375	150	560	Sk
2-Butoxyethanol	111-76-2	25	123	50	246	Sk, BMGV
Propan-2-ol	67-63-0	400	999	500	1250	
2-(2-Butoxyethoxy) ethanol	112-34-5	10	67.5	15	101.2	
2,6-Di-tert-butyl-p-cresol	128-37-0		10			

Region Source  
 United Kingdom UK Workplace Exposure Limits EH40/2005 (Fourth edition, published 2020)

Remark Notes  
 Sk Can be absorbed through the skin. The assigned substances are those for which there are concerns that dermal absorption will lead to systemic toxicity.  
 BMGV Biological monitoring guidance values are listed in Table 2.

Biological Exposure Indices						
Substances	CAS Number	Sampling	Tissues	Control parameters	Biological monitoring guidance value	Comments
2-Butoxyethanol	111-76-2	240 mmol butoxyacetic acid/mol creatinine in urine	Post shift			

Remark Notes

**Rust Converter****8.2 Exposure controls**

8.2.1. Appropriate engineering controls Use non-sparking ventilation systems, approved explosion-proof equipment, and intrinsically safe electrical systems. Ensure adequate ventilation. A washing facility/water for eye and skin cleaning purposes should be present.

## 8.2.2. Personal protection equipment



Eye Protection

Wear eye protection with side protection (EN166).



Skin protection

Wear protective clothing and gloves: Impervious gloves (EN 374).



Respiratory protection

Normally no personal respiratory protection is necessary. Handling of larger amounts A suitable mask with filter type A (EN14387 or EN405) may be appropriate.



Thermal hazards

None known.

8.2.3. Environmental Exposure Controls Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

**9.1 Information on basic physical and chemical properties**

Physical state	Liquid.
Colour	Off-white.
Odour	Characteristic Odour.
Melting point/freezing point	Not known.
Boiling point or initial boiling point and boiling range	Not known.
Flammability	Not known.
Lower and upper explosion limit	Not known.
Flash Point	48.2 °C.
Auto-ignition temperature	Not known.
Decomposition Temperature	Not known.
pH	= 1.67.
Kinematic Viscosity	Not known.
Solubility	Solubility (Water) : Miscible. Solubility (Other) : Not known.
Partition coefficient n-octanol/water (log value)	Not known.
Vapour pressure	Not known.
Density and/or relative density	Not known.
Relative vapour density	Not known.
Particle characteristics	Not known.

**9.2 Other information**

**Rust Converter**

None.

**SECTION 10: STABILITY AND REACTIVITY****10.1 Reactivity**

None anticipated.

**10.2 Chemical Stability**

Stable under normal conditions.

**10.3 Possibility of hazardous reactions**

No hazardous reactions known if used for its intended purpose.

**10.4 Conditions to avoid**

Avoid friction, sparks, or other means of ignition.

**10.5 Incompatible materials**

Not known.

**10.6 Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: TOXICOLOGICAL INFORMATION****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Acute toxicity - Ingestion	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 32258.06000
Acute toxicity - Skin Contact	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 36666.67000
Acute toxicity - Inhalation	Calculation method : Not classified. Calculation method : Calculated acute toxicity estimate (ATE) Calc ATE - 366.67000
Skin corrosion/irritation	Calculation method : Causes skin irritation.
Serious eye damage/irritation	Calculation method : Causes serious eye irritation.
Skin sensitization data	Calculation method : Not classified.
Respiratory sensitization data	Calculation method : Not classified.
Germ cell mutagenicity	Calculation method : Not classified.
Carcinogenicity	Calculation method : Not classified.
Reproductive toxicity	Calculation method : Not classified.
Lactation	Calculation method : Not classified.
STOT - single exposure	Calculation method : Not classified.
STOT - repeated exposure	Calculation method : Not classified.
Aspiration hazard	Calculation method : Not classified.

**11.2 Information on other hazards**ECHA Endocrine disruptor assessment list: 128-37-0, 204-881-4 (Reason not given)  
UN List of Identified Endocrine Disrupting Chemicals: 128-37-0 (Reason not given)**SECTION 12: ECOLOGICAL INFORMATION**

**Rust Converter****12.1 Toxicity**

Toxicity - Aquatic invertebrates	Low toxicity to invertebrates.
Toxicity - Fish	Low toxicity to fish.
Toxicity - Algae	Low toxicity to algae.
Toxicity - Sediment Compartment	Not classified.
Toxicity - Terrestrial Compartment	Not classified.

**12.2 Persistence and degradability**

Not known.

**12.3 Bioaccumulative potential**

Not known.

**12.4 Mobility in soil**

Not known.

**12.5 Results of PBT and vPvB assessment**

Not known.

**12.6 Endocrine disrupting properties**

ECHA Endocrine disruptor assessment list: 128-37-0, 204-881-4 (Reason not given)  
UN List of Identified Endocrine Disrupting Chemicals: 128-37-0 (Reason not given)

**12.7 Other adverse effects**

Not known.

**SECTION 13: DISPOSAL CONSIDERATIONS****13.1 Waste treatment methods**

Dispose of contents in accordance with local, state or national legislation. Recycle only completely emptied packaging. Containers must not be punctured or destroyed by burning, even when empty. Do not allow to enter drains, sewers or watercourses. Do NOT landfill. Normal disposal is via incineration operated by an accredited disposal contractor. Send to a licensed recycler, reclaimer or incinerator. Dispose at suitable refuse site.

**13.2 Additional Information**

Disposal should be in accordance with local, state or national legislation.

**SECTION 14: TRANSPORT INFORMATION****14.1 UN number or ID number**

UN No. 3470

**14.2 UN proper shipping name**

UN proper shipping name PAINT, CORROSIVE, FLAMMABLE

**14.3 Transport hazard class(es)**

ADR/RID

ADR/RID Class 8

ADR Classification Code CF1



**Rust Converter**

Special Provisions	163 367
Limited Quantities	1 L
Excepted Quantities	E2
Emergency Action Code	•3W
Mixed Packing Instructions for Packages	P001 IBC02
Special Packing Provisions for Packages	
Mixed Packing Instructions for Packages	MP15
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP2 TP8 TP28
Tank Code for Tanks	L4BN
Special Provisions for Tanks	
Vehicle for Tank Carriage	FL
ADR Transport Category	2
Tunnel Restriction Code	D/E
Special Provisions for Carriage - Packages	
Special Provisions for Carriage - Bulk	
Special Provisions for Carriage - Loading, Unloading and Handling	
Special Provisions for Carriage - Operation	S2
ADR HIN	83
IMDG	
IMDG Class	3
Special Provisions	163 367
Limited Quantities	1 L
Excepted Quantities	E2
Mixed Packing Instructions for Packages	P001 IBC02
Special Packing Provisions for Packages	
Packing Instructions for Portable Tanks	T7
Special Provisions for Portable Tanks	TP2 TP8 TP28
IMDG EMS	
Stowage and Handling	Category B SW2
Segregation	
Marine Pollutant	
ICAO/IATA	
IATA Proper Shipping Name	PAINT, CORROSIVE, FLAMMABLE
Excepted Quantities	E2
Passenger and Cargo Aircraft Limited Quantities Packing Instructions	Y840
Passenger and Cargo Aircraft Limited Quantities Max net Qty	0.5L
Passenger and Cargo Aircraft Packing Instructions	851
Passenger and Cargo Aircraft Max net Qty	1L

**Rust Converter**

Cargo Aircraft Packing Instructions	855
Cargo Aircraft Max net Qty	30L
Special Provisions	A72, A192
Emergency Response Guidebook (ERG)	8F
Code	
Labels	
Labels	8 +3

**14.4 Packing group**

Packing group	II
---------------	----

**14.5 Environmental hazards**

Environmental hazards	Not classified as a Marine Pollutant.
-----------------------	---------------------------------------

**14.6 Special precautions for user**

Special precautions for user	Not known.
------------------------------	------------

**14.7 Maritime transport in bulk according to IMO instruments**

	No information available
--	--------------------------

## SECTION 15: REGULATORY INFORMATION

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

European Regulations - Authorisations and/or Restrictions On Use

Candidate List of Substances of Very High Concern for Authorisation	Not listed
---	------------

REACH: ANNEX XIV list of substances subject to authorisation	Not listed
--	------------

REACH: Annex XVII Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	2-(2-butoxyethoxy)ethanol (DEGBE) (112-34-5), 1-methoxy-2-propanol monopropylene glycol methyl ether (107-98-2), 2-butoxyethanol ethylene glycol monobutyl ether butyl cellosolve (111-76-2), 8-Hydroxyquinoline Sulfate (207386-91-2), propan-2-ol isopropyl alcohol isopropanol (67-63-0), 2,6-di-tert-butyl-p-cresol (128-37-0), Haloflex 202 ()
---	---

Community Rolling Action Plan (CoRAP)	2,6-di-tert-butyl-p-cresol (128-37-0)
---------------------------------------	---------------------------------------

Regulation (EU) N° 2019/1021 of the European Parliament and of the Council on persistent organic pollutants	Not listed
---	------------

Regulation (EC) N° 1005/2009 on substances that deplete the ozone layer	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Regulation (EU) N° 649/2012 of the European Parliament and of the Council concerning the export and import of hazardous chemicals	Not listed
---	------------

Other	Not known.
-------	------------

**15.2 Chemical Safety Assessment**

A REACH chemical safety assessment has not been carried out.

**Rust Converter****SECTION 16: OTHER INFORMATION**

The following sections contain revisions or new statements:

**LEGEND**

Hazard Pictogram(s)



GHS02



GHS05

GHS07: GHS: Exclamation mark

GHS09: GHS: Environment

Hazard classification

Flam. Liq. 2 : Flammable liquid, Category 2

Flam. Liq. 3 : Flammable liquid, Category 3

Acute Tox. 4 : Acute toxicity, Category 4

Acute Tox. 4 : Acute toxicity, Category 4

Skin Corr. 1 : Skin corrosion/irritation, Category 1

Skin Irrit. 2 : Skin corrosion/irritation, Category 2

Eye Dam. 1 : Serious eye damage/irritation, Category 1

Eye Irrit. 2 : Serious eye damage/irritation, Category 2

Acute Tox. 4 : Acute toxicity, Category 4

STOT SE 3 : Specific target organ toxicity — single exposure, Category 3

Aquatic Acute 1 : Hazardous to the aquatic environment, Acute, Category 1

Aquatic Chronic 1 : Hazardous to the aquatic environment, Chronic, Category 1

Hazard Statement(s)

H225: Highly flammable liquid and vapour.

H226: Flammable liquid and vapour.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H318: Causes serious eye damage.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H336: May cause drowsiness or dizziness.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

## Rust Converter

Precautionary Statement(s)	<p>P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.</p> <p>P233: Keep container tightly closed.</p> <p>P240: Ground and bond container and receiving equipment.</p> <p>P241: Use explosion-proof electrical/ventilating/lighting/equipment.</p> <p>P242: Use non-sparking tools.</p> <p>P243: Take action to prevent static discharges.</p> <p>P260: Do not breathe dust/fume/gas/mist/vapours/spray.</p> <p>P264: Wash hands and exposed skin thoroughly after handling.</p> <p>P280: Wear protective gloves/protective clothing/eye protection/face protection.</p> <p>P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water.</p> <p>P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.</p> <p>P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</p> <p>P310: Immediately call a POISON CENTRE/doctor.</p> <p>P321: Specific treatment (see Medical Advice on this label).</p> <p>P363: Wash contaminated clothing before reuse.</p> <p>P370+P378: In case of fire: Use water spray, dry powder or carbon dioxide to extinguish.</p> <p>P403+P235: Store in a well-ventilated place. Keep cool.</p> <p>P405: Store locked up.</p> <p>P501: Dispose of contents in accordance with local, state or national legislation.</p>
Acronyms	<p>ADN : European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways</p> <p>ADR : European Agreement concerning the International Carriage of Dangerous Goods by Road</p> <p>ATE : Acute Toxicity Estimate</p> <p>CAS : Chemical Abstracts Service</p> <p>CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures</p> <p>DNEL : Derived No Effect Level</p> <p>EC : European Community</p> <p>EINECS : European Inventory of Existing Commercial Chemical Substances</p> <p>IATA : International Air Transport Association</p> <p>IBC : Intermediate Bulk Container</p> <p>ICAO : International Civil Aviation Organization</p> <p>IMDG : International Maritime Dangerous Goods</p> <p>LTEL : Long term exposure limit</p> <p>PBT : Persistent, Bioaccumulative and Toxic</p>

## Rust Converter

PNEC : Predicted No Effect Concentration

REACH : Registration, Evaluation, Authorisation and Restriction of Chemicals

RID : Regulations concerning the International Carriage of Dangerous Goods by Rail

STEL : Short term exposure limit

STOT : Specific Target Organ Toxicity

UN : United Nations

vPvB : very Persistent and very Bioaccumulative

Key literature references and sources for Regulation (EC) No. 1272/2008 (CLP)  
data used to compile the SDS

### Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Granville Oil & Chemicals Ltd gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Granville Oil & Chemicals Ltd accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.